

VAR Series

VAR460 BBV (LBV)

Description

- 460mm propellor fan
- Fan motor is a totally enclosed construction with dust seals, class E insulation, motor casing is made of aluminum
- Fan blades are made of pressed steel and the hubs are made of fully balanced aluminum
- Other fan components such as mounting frames and supporting arms are also made of pressed steel
- The complete fan unit is epoxy powder coated




EASTERN ELECTRIC
FAN EQUIPMENT

VAR460BBV (LBV)

Propeller Fan 460mm 220V

Specification

Model No.	Diameter Inch/mm	Voltage V/Ph/Hz	Power W	Current A	Max Speed (RPM)	Air Volume (CMH)	Max Noise Level dB (A)
VAR460BBV	18"/460	220/1/50	260	1.17	1400	6800	68



Model No.	D	H	W (Max)	L	N-P
VAR460BBV	475	553	280	445	4-11


***Industrial ventilation requires
20 air changes per hour**

VAR460BBV (QBV)

Propeller Fan 460mm 380V

Specification

Model No.	Diameter Inch/mm	Voltage V/Ph/Hz	Power W	Current A	Max Speed (RPM)	Air Volume (CMH)	Max Noise Level dB (A)
VAR460FBV	18"/460	380/3/50	215	0.58	1400	6800	66



Model No.	D	H	W (Max)	L	N-P
VAR460FBV	475	553	280	445	4-11

***Industrial ventilation requires
20 air changes per hour**